



panel mount



desktop version

- 92 keys, silicone rubber
- IP67 sealing
- 25mm waterproof trackball

## SILICONE RUBBER KEYBOARD WITH TRACKBALL

This 92 key backlit keyboard features a compact keyboard with integrated waterproof 25 mm trackball and scroll function. The rubber keys are proven for efficient cleaning, reduced disinfection time and protection against cross contamination. The backlit keys warrant for optimized performance while working in low-light environments. Panel mount and desktop version available.

### MAIN FEATURES

- Compact layout, 92 full travel keys
- Removable 25 mm trackball for easy cleaning, IP68 sealed
- Dimmable backlighting at 8 levels by two dedicated keys
- Intelligent luminosity setting of “capslock” LED’s
- No external power supply necessary, keyboard port power sufficient
- Low power LED’s warrant for a long life
- White backlighting as standard, other colours on request

### PANEL MOUNT VERSION

- Front panel mounting with studs
- Dimensions: 350 x 159 x 42,6 mm
- Weight: 0,6 kg

### DESKTOP VERSION

- For VESA mount - VESA75
- Dimensions: 354,5 x 163,5 x 39,5 mm
- Weight: 0,8 kg

### GENERAL TECHNICAL SPECIFICATIONS

#### KEYBOARD

Sealing	IP67 sealed
Keys	92 full travel rubber keys
Pointing device	25mm optical trackball
Output	1,8m USB cable (panel mount) 1,35m USB cable (desktop)
Power requirements	Directly from USB port
Operating temp.	-15°C to +70°C
Switch force	210 grams
Switch stroke	2 mm

#### CUSTOMIZATION

Possible customization includes adapted backlighting controls, addition of company logo or specific function keys, different layouts, different colour. All this without having to reapply for certification.



### ORDER INFO


COUNTRY LAYOUT	PANEL MOUNT	DEKSTOP VERSION
US Qwerty	<b>RKCT92F1USB-WLED</b>	<b>RKCT92S1USB-WLED</b>
Cyrillic Qwerty	<b>RKCT92F7USB-WLED</b>	<b>RKCT92S7USB-WLED</b>
French Azerty	<b>RKCT92F33USB-WLED</b>	<b>RKCT92S33USB-WLED</b>
Italian Qwerty	<b>RKCT92F39USB-WLED</b>	<b>RKCT92S39USB-WLED</b>
Norwegian Qwerty	<b>RKCT92F47USB-WLED</b>	<b>RKCT92S47USB-WLED</b>
German Qwertz	<b>RKCT92F49USB-WLED</b>	<b>RKCT92S49USB-WLED</b>
Turkish Qwerty	<b>RKCT92F90USB-WLED</b>	<b>RKCT92S90USB-WLED</b>

USB output  
White backlighting as standard, other colours on request

The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.

**DIMENSIONAL DRAWING**

**PANEL MOUNT**



**DIMENSIONAL DRAWING**

DESKTOP

